



ANDHRA PRADESH POLLUTION CONTROL BOARD

D.No.33-26-14 D/2, Near Sunrise Hospital, Pushpa Hotel Centre,
Chalamalavari Street, Kasturibaipet, Vijayawada – 520 010

Order No. APPCB/VJA/GTR/16829/HO/CFO/2019

10/04/2019

AUTO RENEWAL OF CONSENT ORDER FOR OPERATIONS

In response to your application dated 20.03.2019 for Auto Renewal of Consent for operation, the Board is hereby extending validity of the Consent order No. APPCB/VJA/GTR/16829/HO/CFO/2014, dt.23.01.2014 and its auto renewal order APPCB/HO/UH-IV/CFO:VJA/Auto Renewal-3/2016, dt.20.06.2016 valid upto 30.06.2019 for further period upto 30.06.2020 under sections 25/26 of the Water (Prevention and Control of Pollution) Act, 1974 and 21 of the Air (Prevention and Control of Pollution) Act, 1981 with the following additional conditions:

1. All other conditions mentioned in Schedules A and B of the CFO order issued by the Board vide order dated 23.01.2014 and 20.06.2016 remain same.
2. The industry shall comply with the standards notified by MoEF&CC/CPCB from time to time.
3. The industry shall submit the compliance report to the Board every six months i.e. on 1st of January and 1st of July on the conditions stipulated in the CFO order
4. In case of false certification, non compliance of conditions / directions and discrepancy in furnishing the information by the industry, the Board can withdraw the auto renewed consent and take action under provisions of relevant Acts & Rules.

BANDLA SIVA SANKARA PRASAD

Dated: 10/04/2019

To
The Occupier
M/s. Andhra Cements Limited (Mines Division),
Gamalapadu (V), Dachepalli (M),
Guntur District – 522 414.
E-mail: nb.singh@jalindia.co.in

Copy to:

1. The JCEE, Zonal Office, Vijayawada for information.
2. The Environmental Engineer, Regional Office, Guntur for information and necessary action.