

JAL/JSCP/EC/2012-13

Date-27.05.2013

**The Regional Director**  
Ministry of Environment & Forest  
Regional Office(WZ)  
Kendriya Parayavaran Bhawan,  
E-5,Arera Colony,Link Road No-5,  
Ravi Shanker Nagar,Bhopal (M.P.) 462010

**Subject: Hinauti Limestone Mining Project of M/S Jaiprakash Associates Limited for Status of Compliance to Environmental Clearance granted by Ministry of Environment & Forest vide letter No.-J-11015/258/2007-IA. II (M) dated 20.02.2009.**

Dear Sir,

1. We have been granted Environmental Clearance (EC) vide your above referred letter, dated 20.02.2009.
2. In compliance to clause XIII of General conditions, Six monthly compliance report for the period, **October, 2012 to March, 2013** to the conditions specified in the Environmental Clearance, is hereby submitted for your kind information please.

Thanking you  
Yours faithfully

  
(S.C.Srivastava)

Sr. Vice President (Technical)  
Jaypee Sidhi Cement Plant  
(A Unit of Jaiprakash Associates Ltd)

Encl- As above **JAYPEE SIDHI CEMENT PLANT**  
(A Unit of Jaiprakash Associates Ltd.)  
**Jaypee Vihar, Distt. Sidhi (M.P.)**  
Copy to : **Phones-07802-276703,276704**




1. The Zonal Officer, Central Pollution Control Board, II<sup>rd</sup> floor, Shakar Bhawan, North T.T. Nagar, Bhopal(M.P.)462003
2. The Member Secretary, Parayavaran Bhawan , M.P. Pollution Control Board E-5, Arera Colony, Bhopal (M.P.)462016
3. The Regional Officer, M.P. Pollution Control Board, H.No.-318,Gali No.-5, Dhawari Satna(M.P.)485001


**Status of Compliance (Period: October, 2012 -March, 2013) to the conditions stipulated in the Environment Clearance granted by MoEF vide letter No- J-11015/258/2007-IA.I(M) dated February 20, 2009 for 1.00 MTPA Hinauti Limestone Mine ( ML Area- 378.26 ha of M/s Jaiprakash Associates Limited, Located at Village Hinauti, Degarhat, Biharganj and Jurmani , Tehsil Ram Nagar Distt. Satna (M.P)**










**Jaypee Sidhi Cement Plant**  
**(A Unit of Jaiprakash Associates Ltd.)**  
**Bhagwar, Sidhi – 486776 (M.P)**  
[www.jalindia.com](http://www.jalindia.com)






**A. Specific conditions**




No.	Conditions	Status of compliance
i	The project proponent shall obtain Consent to Establish from the Madhya Pradesh Pollution Control Board and effectively implement all the conditions stipulated therein.	<p>Consent to establish (Water &amp; Air Act) has been granted by MPPCB Bhopal vide letter no. 3019/TS/Mine/MPPCB/09 dated 09.04.09 (Copy already submitted).Subsequently Consent to Operate(Water &amp; Air Act)has been obtained and valid up to 01.09.2013.</p> <p>Consent copy is attached as <b>Annexure-I</b>.</p>  <p>Hinauti Im A&amp;W.pdf</p>
ii	The Environmental clearance is subject to obtaining clearance under the Wildlife (Protection) Act, 1972 from the competent authority, as may be applicable to this project.	<p>Approval from National Board of Wild life has been granted vide letter no. F. No. 6-43/2007 WL-I(XIII) MoEF , Wildlife division, CGO Complex, Lodi road, New Delhi dated 10.05.2011.Copy of letter is enclosed as <b>Annexure-II</b>.</p>  <p>NBWL NOC COPY.doc</p> <p>The present status of the 'Wild Life Clearance' conditions has already been submitted to the Principal Chief Conservator of Forest(WL), Bhopal (M.P.) Our vide letter no-JAL/JSCP/438/2012 dt. 14.07.2012. Copy of the same are enclosed as <b>Annexure-III</b></p>  <p>REPLY OF NWBL.pdf</p>
iii	The Environmental clearance is subject to approval of the State Landuse Department, Government of Madhya Pradesh for diversion	Land has already been diverted for mining by the Government of Madhya Pradesh. The area for diversion from agriculture land for non

	of 300.268 ha agricultural land for non-agricultural use.	agriculture is 46.11ha. Instead of 322.49ha. In this regards we have submitted request letter to ministry of Environment & Forest, New Delhi for amending the area as 46.11ha vide letter no. JAL: JSCP: MINES: 2009 dated 20-05-09. Copy already submitted.
iv	The project proponent shall ensure that no natural watercourse and/or water resources are obstructed due to any mining operations. Adequate measures shall be taken while diverting the 1 <sup>st</sup> order streams emanating from the mine lease during the course of mining operation.	No natural water course/water resource is obstructed due to mining activities. The 1 <sup>st</sup> order streams, which are small in nature are diverted by provided suitable drains during the course of mining operation. Photograph of garland drain is attached as <b>Annexure-IV</b>  
v	The top soil shall temporarily be stored at earmarked site(s) only and it should not be kept unutilized for a long. The topsoil shall be used for land reclamation and plantation.	Top soil is being stacked properly at earmarked site with proper slope. The top soil will be used for land reclamation and plantation. Entire top soil generated so far has been used for plantation.
vi	The over burden generated during the initial years due to mining operation shall temporarily be stacked at earmarked dump site(s) only and thereafter it shall be concurrently backfilled. Backfilling shall start from the 6 <sup>th</sup> year onwards . There shall be no external over burden dump . The backfilled area of 170 ha. shall be reclaimed and rehabilitated by plantation. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Ministry of Environment & Forests and its Regional Office located at Bhopal on six monthly basis	Over burden is being stacked at earmarked dump site. Backfilling will be undertaken after six years onwards as stipulated. The back filling area will be reclaimed and rehabilitated by tree plantation. The rehabilitated area will be monitored & managed till the plantation will become self sustaining. Compliance status is submitted to MoEF on six monthly basis.
vii	The void left unfilled in an area of 100 ha shall be converted into water body. The higher benches of excavated void /mining pit shall be terraced and plantations done to stabilize the slopes. The slope of higher benches shall be made gentler for easy accessibility by local people to use the water body. Peripheral fencing shall be carried out all along the excavated area.	At the end of mining operation, the left out area will be converted into water body. The peripheral plantation will be done with fencing of mine pit.
viii	Catch drains and siltation ponds of appropriate size shall be constructed around the working pit, soil, mineral and temporary OB dumps to prevent run off of water and flow of sediments directly into the seasonal nallahs,the Bansagar Canal and other water bodies.	Catch drains & siltation ponds have been provided as per the guidance around the working pit, soil, mineral and temporary OB dumps to prevent run off of water and flow of sediments directly into the seasonal nallahs, Bansagar Canal and other water bodies .The





	<p>The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains should be regularly desilted particularly after the monsoon and maintained properly.</p> <p>Garland drains, settling tanks and check dams of appropriate size gradient and length shall be constructed both around the mine pit and temporary over burden dumps to prevent run off of water and flow of sediments directly into the seasonal nallahs, the Bansagar Canal and other water bodies and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper settling of silt material. Sedimentation pits should be constructed at the corners of the garland drains and desilted at regular intervals.</p>	<p>collected water is being utilized as suggested for watering the mine area, roads, green belt development etc. Garland drains, settling tanks and check dams of appropriate size gradient and length are being constructed both around the mine pit and temporary over burden dumps as per the guidance.</p> <p>Following silt control methods are followed in mine are attached as <b>Annexure V.</b></p> <p> SILT CONTROL MEASURES.docx</p>
ix	<p>Dimension of the retaining wall at the toe of the temporary dumps and the OB benches within the mine to check run-off and siltation should be based on the rain fall data.</p>	<p>Retaining wall at the toe of the temporary dumps and the OB benches are constructed based on rain fall data.</p> <p>Photograph is attached as <b>Annexure as VI.</b></p> <p> RETAIING WALL .docx</p>
x	<p>Plantation shall be raised in an area of 259.5 ha including a 7.5m wide green belt in the safety zone around the mining lease in an area of 10ha by planting the native species around ML area, backfilled and reclaimed area, around water body and benches of the excavated pit, roads etc. in consultation with the local DFO/Agriculture Department. The density of the trees should be around 2000 plants per ha. The green belt around the mine lease area shall be developed within five years.</p>	<p>Plantation program was started by planting of 2121 no. of trees in 1.25 ha. Area up to 30.03.2013,. Plantation and green belt in an area of 259.50 ha including a 7.5m wide green belt in the safety zone around the mining lease in an area of 10ha around ML area, backfilled and reclaimed area, around water body and benches of the excavated pit, roads etc are being taken up in consultation with Forest Department as suggested. Local &amp; native species will be selected for the plantation.</p> <p>Plantation details are attached as <b>Annexure as VII.</b></p> <p> PLANTATION DETAILS.docx</p>
xi	<p>Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of SPM and RSPM such as haul road, loading and unloading point and transfer points. It should be ensured that the Ambient Air</p>	<p>Effective safeguards measures such as dust containment and suppression by water sprinkling are being taken for control of air emissions at haul road, loading and unloading point and transfer points. Ambient Air Quality is monitored for RSPM, SO<sub>2</sub>&amp; NO<sub>x</sub> and</p>



	<p>Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.</p>	<p>CO the data conforms to the stipulated standards.</p> <p>Reports are attached as <b>Annexure as VIII.</b></p> <div style="text-align: center;">   </div> <p>Six monthly AIR Ambient DATA.xlsx      WATER SPRINKLING.JPG</p>
<p>xii</p>	<p>Regular monitoring of water quality upstream and downstream of the Bansagar Canal and seasonal streams passing through the mine lease shall be carried out and record of monitoring data should be maintained and submitted to the Ministry of Environment and Forests, its Regional Office, Bhopal, the Central Groundwater Authority, the Regional Director, Central Ground Water Boards, the State Pollution Control Board and the Central Pollution Control Board.</p>	<p>Regular monitoring of water quality upstream and downstream of Bansagar Canal and seasonal streams passing through the mine lease are being carried out and record of monitoring data are maintained. Report is attached as <b>Annexure as IX.</b></p> <div style="text-align: center;">  </div> <p>Bansagar Canal.xlsx</p>
<p>xiii</p>	<p>The project authority shall implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board</p>	<p>Suitable water conservation measures such as rain water harvesting and water shed management will be taken to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board.</p>
<p>xiv</p>	<p>Regular monitoring of ground water level and quality should be carried out in and around the mine lease by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring should be carried out four times in a year, pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the data thus collected may be sent regularly to the Ministry of Environment and Forests and its Regional Office Bhopal, the Central Ground Water Authority and the Regional Director, Central Ground Water Boards. If at any stage it is observed that the groundwater table is getting depleted due to the mining activity, necessary corrective measures shall be carried out.</p>	<p>Ground water level monitoring &amp; quality analysis are being carried out as suggested by M/s hydrominrivion, Winter season report for 2012 is submitted on 20/4/13.</p> <p>Report &amp; letter that has sent Regional Director of CGWB attached as <b>Annexure X.</b></p> <div style="text-align: center;">  </div> <p>GW Hinauti.jpg</p>
<p>xv</p>	<p>Suitable rainwater harvesting measures on long term basis shall be planned and implemented in consultation with the Regional Director, Central Ground Water Board.</p>	<p>Rain water harvesting proposal has been prepared and will be implemented in consultation with the Regional Director, Central Ground Water Board.</p>

		<p>Report is attached as <b>Annexure XI.</b></p>  <p>Sidhi RWH Report.doc</p>
xvi	<p>Appropriate mitigative measures should be taken to prevent pollution of the Son River in consultation with the State Pollution Control Board.</p>	<p>All necessary measures are being taken up to prevent pollution in the Son river. The water quality of the river is also be regularly monitored in up-stream and down-stream. Silt control measures report is attached above as <b>Annexure-V.</b></p> <p>Report of Son river is attached as <b>Annexure-XII.</b></p>  <p>Son River.xlsx</p>  <p>SILT CONTROL MEASURES.docx</p>
xvii	<p>The project proponent shall obtain necessary prior permission of the competent authority for drawl of requisite quantity of surface water from the Bansagar Canal, required for the project.</p>	<p>In the mining activities, water requirement for water sprinkling will be met by rain water harvesting. Prior Permission from the competent authority for the drawl of water (surface water &amp; Ground water) if any, required for the project.</p> <p>Report of Bansagar is attached as <b>Annexure-XIII</b></p>  <p>Bansagar Canal.xlsx</p>
xviii	<p>Minerals handling area shall be provided with adequate number of high efficiency dust extraction system. Loading and unloading areas including all the transfer points should also have efficient dust control arrangements. These should be properly maintained and operated.</p>	<p>The limestone handling area is provided with effective dust control arrangement by suitable control measures (Bag filters) and by water sprinkling in the loading &amp; unloading area and transfer points.</p> <p>Report are attached as <b>Annexure-XIV</b></p>  <p>WATER SPRINKLING.JPG</p>
xix	<p>Vehicular emissions should be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and in transportation of mineral. The</p>	<p>Regular maintenance of mining equipment is being carried out &amp; Vehicular emissions are kept under control by ensuring PUC. While transportation of the raw material the vehicles are not overloaded.</p>



	vehicles should be covered with a tarpaulin and shall not be overloaded.	
xx	Blasting operation shall be carried out only during the daytime. Controlled blasting should be practiced. The mitigative measures for control of ground vibrations and to arrest fly rocks and boulders should be implemented.	<p>Blasting operation is carried out only during day time. Controlled blasting is carried out to minimize the ground vibrations and the mitigate measures will be taken to control of ground vibration &amp; arrest fly rocks.</p> <p>Optimization of blast design was carried to control ground vibration by Central Institute of Mining &amp; Fuel Research, Dhanbad, Jharkhand. Report is attached as <b>Annexure-XV</b></p>  <p>Hinauti Mines.jpg</p>
xxi	Drills shall either be operated with dust extractors or equipped with water injection system.	<p>Wet drilling is in practice to control dust emissions. Photograph is attached as <b>Annexure-XVI</b></p>  <p>WET DRILLING.docx</p>
xxii	Consent to operate shall be obtained from the State Pollution Control Board prior to start of production from the mine.	<p>Consent to Operate(Water &amp; Air Act)has been obtained vide MPPCB letter No-7004/TS/MINE/MPPCB/2009,dated-24.07.2009(Water Act), 7006/TS/MINE/MPPCB/2009,dated-24.07.2009(Air Act).and renewed subsequently vide their letter No-7648/TS/MPPCB/2012 dated 18.10.2012(Water consent) and 7650/TS/MPPCB/2012 dated 18.10.2012(Air consent) and valid up to 01.09.2013.</p>  <p>Hinauti Im A&amp;W.pdf</p>
xxiii	Sewage treatment plant shall be installed for the colony. ETP shall also be provided for the workshop and wastewater generated during the mining operation.	<p>800 KLD STP has been installed for the colony. Oil &amp; grease trap has been provided for the Auto workshop. The waste water generated during mining operation is being treated by settling. The treated waste water is used for water sprinkling for dust suppression and watering of plants.</p>






		<p>All reports are attached as <b>Annexure-XVII</b></p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">   STP.xlsx </div> <div style="text-align: center;">   Oil &amp; grease.docx </div> </div>
xxiv	Digital processing of the entire lease area using remote sensing technique should be done regularly once in three (3) years for monitoring land use pattern and report submitted to the Ministry of Environment and Forests and its Regional Office Bhopal.	<p>Digital processing of entire lease area using Remote Sensing technique is done as per condition of after 3 years of operation i.e. after 2012 and report is already submitted to the Ministry of Environment and Forests and its Regional Office Bhopal vide our letter no. JAL/JSCP/EC/2013/164 dated 26.04.13.</p> <p>Covering letter is attached as <b>Annexure-XVIII</b></p> <div style="text-align: center; margin-top: 20px;">   Digital Image Processing.jpg </div>
xxv	The project authorities shall undertake sample survey to generate data on pre-project community health status within a radius of 1 km from proposed mine.	Pre project health survey of community has been started.
xxvi	Pre-placement medical examination and periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly.	<p>Pre-placement medical examination is being carried out and records are maintained. Regular health check up of the worker is also carried out as per the schedule drawn.</p> <p>Report is attached as <b>Annexure-XIX</b></p> <div style="text-align: center; margin-top: 10px;">   OHP.pptx </div>
xxvii	Land oustees and land losers/affected people shall be compensated and rehabilitated as per the National Policy on Resettlement and Rehabilitation of project Affected Families (NPRR).	The land oustees and land losers/affected peoples have been compensated as per guidelines. No houses/settlement has been affected.
xxviii	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	No such housing facilities are required because the workers engaged in the mining activities are from nearby villages and therefore prefer to reside in their villages.
xxix	The project proponent shall take all precautionary measures during mining operation for conservation and protection of endangered	All precautionary measures are being taken up for the protection of endangered fauna species like python & peacock etc. Action plan for

	<p>fauna such as python, peacock etc. spotted in the study area. Action plan for conservation of flora and fauna shall be prepared and implemented in consultation with the State Forest and Wildlife Department. Necessary allocation of funds for implementation of the conservation plan shall be made and the funds so allocated shall be included in the project cost. A copy of action plan shall be submitted to the Ministry of Environment and Forests and its Regional Office, Bhopal.</p>	<p>conservation of flora &amp; fauna has already been prepared and submitted to Principal Chief Conservator of forest (Wildlife) Bhopal; vide our letter No.DM/4232/Bhopal Dated 13.08.2008. Allocations of the funds have been made as per the proposed plan.</p> <p>Documents are attached as <b>Annexure-XX</b></p> <div style="text-align: center;">   </div> <p>NBWL NOC COPY.doc      REPLY OF NWBL.pdf</p>
xxx	<p>A final Mine Closure Plan along with details of Corpus Fund shall be submitted to the Ministry of Environment &amp; Forests 5 years in advance of final mine closure for approval.</p>	<p>Noted and agreed</p>

**B. General Conditions**

No.	Conditions	Status of compliance
i	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forests.	Noted and agreed
ii	No change in the calendar plan including excavation, quantum of mineral limestone and waste should be made.	Noted and agreed
iii	Atleast four ambient air quality-monitoring stations should be established in the core zone as well as in the buffer zone for RSPM, SPM, SO <sub>2</sub> & NO <sub>x</sub> monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.	Ambient air quality monitoring is being carried out once in a month at four place in core zone as well as in buffer zone for RSPM,SO <sub>2</sub> NO <sub>x</sub> monitoring. AAQM is attached <b>Annexure-XXI</b>  Ambient Hinauti.xlsx
iv	Data on ambient air quality (RSPM, SPM, SO <sub>2</sub> & NO <sub>x</sub> ) should be regularly submitted to the Ministry including its Regional office located at Bhopal and the State Pollution Control Board / Central Pollution Control Board once in six months.	Ambient air Quality monitoring data are submitted regularly to the Ministry including its Regional office located at Bhopal and the State Pollution Control Board / Central Pollution Control Board on six monthly bases.
v	Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.	Measures have been taken for fugitive dust emission control by dust containment and suppression. Water spraying arrangements have been provided on haul roads, loading and unloading and at transfer points. Photographs is attached as <b>Annexure XXII</b>  WATER SPRINKLING.JPG
vi	Measures should be taken for control of noise levels below 85 dB(A) in the work environment. Works engaged in	Measures have been taken up for controlling the noise level below 85 dB (A) in the work zone area. Operators of HEMM

	operations of HEMM, etc should be provided with ear plugs/muffs.	<p>have been provided with ear plug/muffs. Ambient noise data is attached <b>Annexure-XXIII</b></p>  <p>NOISE PLANT &amp; MINES 2012.docx</p>
vii	Industrial waste water (Workshop and waste water from the mine) should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 <sup>th</sup> May, 1993 and 31 <sup>st</sup> December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.	<p>Oil and grease trap have been installed for Auto workshop waste water. Effluent discharge conforms to the stipulated standards and Zero discharge is maintained</p> <p>Oil &amp; grease trap photo is attached as <b>Annexure-XXIV</b></p>  <p>Oil &amp; grease.docx</p>
viii	Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and corrective measures, taken if needed.	<p>Mine workers working near dust prone area have been provided with protective respiratory devices and have been imparted adequate training and information on safety and health aspects. Periodic health surveillance program has been taken up as stipulated.</p> <p>Details report is attached <b>Annexure-XXV</b></p>
ix	The project authorities should inform to the Regional Office located at Bhopal regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	<p>The mine was commissioned on <b>20.10.2009</b>.</p>
x	A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.	<p>An Environment Management Cell has been constituted. Organization chart of the Environment Management Cell are attached.</p> <p>Organogram is attached <b>Annexure-XXVI</b></p>  <p>Environment Presentation.pptx</p>
xi	The funds earmarked for environmental protection measures should be kept in separate account and should not be	<p>The funds have been earmarked for environment protection measures. Details of the Capital &amp; recurring expenditures</p>

	diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Bhopal.	incurred during 2012-2013 are attached <b>Annexure- XXVII</b>
xii	The regional Office of this Ministry located at Bhopal shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer(s) of the Regional Office by furnishing the requisite data / information / monitoring reports.	Noted and agreed
xiii	The project proponent shall submit six monthly report on the status of the implementation of the stipulated environmental safeguards to the Ministry of Environment and Forests, its Regional Office, Bhubaneswar, Central Pollution Control Board and State Pollution Control Board. The proponent shall upload the status of compliance of environmental clearance conditions on their website and shall update the same periodically.	Six monthly reports are submitted regularly.
xiv	A copy of clearance letter will be marked to concerned panchayat / local NGO, if any, from whom suggestion / representation, if any, was received while processing the proposal.	Copy of EC has already been marked to Panchayat (Copy already submitted).A marked copy of panchayat is attached as <b>Annexure- XXVIII</b>
xv	The State Pollution Control Board should display a copy of the clearance letter at the Regional Office, District Industry Centre and Collector's Office/Tehsildar's Office for 30 days.	Noted and agreed
xvi	The project authorities should advertise at least in two local newspapers. widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at <a href="http://envfor.nic.in">http://envfor.nic.in</a> and a copy of the same should be forwarded to the Regional Office of this Ministry located Bhopal.	Grant of EC letter was published in <b>Dainik Jagran</b> and <b>Navbharat</b> Newspapers. (Copies already submitted to the concerned authorities.). A copy enclosed as <b>Annexure- XXIX</b>
xvii	The Ministry or any other competent authority may alter/modify the above conditions or stipulate any further condition in the interest of environment protection.	Noted and agreed
xviii	Failure to comply with any of the conditions mentioned	Noted and agreed

	above may result in withdrawal of this clearance and attract action under the provision of Environment (Protection) Act, 1986.	
xix	The above conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and rules made there under and also any other orders passed by the Hon'ble Supreme Court of India/ High court of Madhya Pradesh and any other court of Law relating to the subject matter.	Noted and agreed
xx	Any appeal against this environmental clearance shall lie with the National Environment Appellate Authority. if preferred within a period of 30 days as prescribed under Section 11 of the National Environment Appellate Act, 1997.	Noted and agreed